



# Levels of Function Point Counting

Version 1.3 January 2004

**Pam Morris – Total Metrics (Australia)**

**Email :** Pam.Morris@Totalmetrics.com **or visit** www.totalmetrics.com

## Introduction

A function point count can be conducted at a number of ‘levels’, each of which provides a count which has its:

- Decisions documented to different levels of detail
- Results within different bounds of accuracy.

The level of detail for a particular count will depend on the purpose for which the count will be used. Different purposes will require different degrees of accuracy and detail in the documentation and consequently different counting rates. The most optimal level of counting may not always be able to be achieved in a particular situation since the level actually selected may be constrained by:

- the quality of project or application documentation available,
- the time in which the count must be completed,

This document defines a number of levels of function point counting that are available from *Total Metrics*. We will normally recommend a particular level to you based on how the results will be used and your description of the quality of the information available to provide background on the count. However the final decision will rest with the client and the quality of the information available.

A particular application count may be conducted at one of the following levels detail:

<b>Level</b>	<b>Name</b>
<b>1</b>	<b>Detailed Linked and Flagged Count</b>
<b>2</b>	<b>Detailed Linked Count</b>
<b>3</b>	<b>Detailed Count</b>
<b>4</b>	<b>Default Complexity Count</b>
<b>5</b>	<b>Rough Count</b>
<b>6</b>	<b>Size Approximation.</b>

## **Level 1: Detailed Linked and Flagged Count**

### **Level 1 Count Description**

A **Detailed Linked and Flagged Count** includes the following:

- application boundary is defined
- full functional decomposition to transaction level (transaction level is considered the lowest level function available to the business user)
- all files and transactions within scope are uniquely identified
- all files and transactions are classified according to type
- all files and transactions are accurately categorised according to complexity (actual numbers of DETs and FTRs are identified where possible and provided the necessary source information is available)
- all related files and transactions are linked (aids in assessing impact of change requests)
- explanatory notes are attached to files and transactions as necessary (aids in future maintenance of the counts)
- where possible a cross-reference between the physical files and the logical files is documented.
- explanatory notes also link files and transactions to relevant documentation
- all <sup>1</sup>agreed attributes are attached to relevant transactions (aids in selective count reporting for management purposes)
- count is recorded and reported using the *SCOPE Project Sizing Software*<sup>TM</sup> software repository tool.

### **Level 1 Count Attributes**

**Detailed Linked and Flagged Count are:**

- very detailed
- easily auditable
- accurate (within the limits of the FPA technique +/- 10%)
- very well documented
- easily maintained.

---

<sup>1</sup> Note: the number of Attribute categories attached to the count will have a significant impact on the counting rate. I.e. reduce the counting rate by 15% for each attached attribute.

**Best suited for following count purposes:**

- benchmarking projects (new development and enhancement)
- detailed estimates
- project tracking
- as detailed baseline model for future detailed enhancement project counting
- input into Metrics reporting for Strategic and Tactical Level reporting.

**Issues:**

- very time intensive – counting rates up to **200 fps per day**
- requires very skilled counters
- rarely cost effective for large, legacy application baseline counts.

**Pre-requisites:**

- good to high quality system documentation
- data model
- full access to system experts.

## **Level 2: Detailed Linked Count**

### **Level 2 Detailed Linked Count Description**

A detailed linked count includes the following:

- application boundary is defined
- full functional decomposition to transaction level
- all files and transactions within scope are uniquely identified
- all files and transactions are classified according to type
- all files and transactions are accurately categorised according to complexity (DETs and FTRs are identified within IFPUG ranges where possible)
- all related files and transactions are linked (aids in assessing impact of change requests)
- explanatory notes are attached to files and transactions where necessary
- count is recorded and reported using the *SCOPE Project Sizing Software*<sup>TM</sup> software repository tool.

### **Level 2 Count Attributes**

#### **Detailed Linked Counts are:**

- very detailed
- easily auditable
- accurate (within the limits of the FPA technique +/- 10%)
- very well documented
- easily maintained.

#### **Best suited for the following count purposes:**

- benchmarking projects (new development and enhancement)
- detailed estimates
- project tracking
- as detailed baseline model for future detailed enhancement project counting.

#### **Issues:**

- time intensive – counting rates up to **250 fps per day**
- rarely cost effective for large, legacy application baseline counts.

#### **Pre-requisites:**

- good to high quality system documentation
- data model
- full access to system experts.

## **Level 3: Detailed Count**

### **Level 3 Detailed Count Description**

A **detailed count** includes the following:

- application boundary is defined
- full functional decomposition to transaction level
- all files and transactions within scope are identified
- all files and transactions are classified according to type
- all files and transactions are accurately categorised according to complexity (DETs and FTRs are identified within IFPUG ranges where possible)
- explanatory notes are attached to files and transactions where necessary
- count is recorded and reported using the *SCOPE Project Sizing Software*<sup>TM</sup> software repository tool..
- 

#### **1.1. Level 3 Detailed Count Attributes**

**Detailed Counts are:**

- detailed
- auditable
- accurate (with limits of the FPA technique +/- 10%)
- well documented
- very maintainable.

**Best suited for following count purposes:**

- benchmarking projects (new development and enhancement)
- detailed estimates
- baseline application counts for portfolio sizing
- as detailed baseline model for future detailed enhancement project counting.

**Issues:**

- time intensive – counting rates up to **300 fps per day**
- reasonably cost effective for large, legacy application baseline counts

**Pre-requisites:**

- good system documentation
- data model if possible
- access to system experts.

## **Level 4: Default Complexity Count**

### **Level 4 Default Complexity Count Description**

A **default complexity count** includes the following:

- application boundary is defined
- full functional decomposition to transaction level
- all files and transactions within scope are identified
- all files and transactions are classified according to type
- all files are defaulted to low complexity
- all transactions are defaulted to average complexity
- count is recorded and reported using the *SCOPE Project Sizing Software*<sup>TM</sup> software repository tool.

### **Level 4 Default Complexity Count Attributes**

**Default Complexity Counts are:**

- less detailed
- auditable
- reasonably accurate (within the limits of the FPA technique +/- 15%)
- documented
- maintainable.

**Best suited for the following count purposes:**

- portfolio baseline assessment
- benchmarking development or support ratios
- quality metrics
- high level estimates
- as a baseline model for future enhancement project counting
- can be cost effective for large, legacy application baseline counts.

**Issues:**

- efficient – counting rates up to **400 fps per day**
- cost effective for large, legacy application baseline counts

**Pre-requisites:**

- average system documentation
- data model if possible
- access to system experts.

## **Level 5: Rough Count**

### **Level 5 Rough Count Description**

A **rough count** includes the following:

- Application boundary is defined
- functional decomposition (3-4 levels only)
- transactions and data functions 'tallied' from menus, menu access paths, file lists, screen lists, report lists, application boundary
- diagrams, system interface documentation
- assumptions documented in count report.
- count is recorded and reported using the *SCOPE Project Sizing Software*<sup>TM</sup> software repository tool.

### **Level 5 Rough Count Attributes**

**Rough Counts are:**

- low detail
- less accurate (+/- 20 - 25%)
- documented (issues and assumptions)
- 'Skeleton' on which enhancement counts can be built
- needs to be refined over time

**Best suited for following count purposes**

- portfolio baseline assessment
- benchmarking support ratios
- as a baseline model for future enhancement project counting
- cost effective for large, legacy application baseline counts.

**Issues:**

- very efficient – counting rates can exceed **750 fps per day**
- cost effective for large, legacy application baseline counts which have very little enhancement.

**Pre-requisites**

- summarised system documentation
- full-time access to system experts (for the duration of count).

## **Level 6 : Size Approximation**

There are various methods of approximating the functional size without counting all files and transactions. Such methods are often used for portfolio estimation, or as a basis for scheduling more detailed counts. They are based on characteristics of the application, which have been proven to have a strong correlation to size. Eg. numbers of reports, number of 3<sup>rd</sup> normal form tables, number of support staff etc. The size is estimated based on the answers to about 30 questions in a questionnaire.

### **Level 6 Size Approximation Description**

A **size Approximation** includes the following:

- size estimate reported in unadjusted and / or adjusted function points.
- assumptions documented in report

### **Level 6 Size Approximation Attributes**

#### **Size Approximation is**

- very little detail –size results only
- accuracy historically has been demonstrated to be within (+/- 20%)
- not documented other than the completed questionnaire and a very brief report on the result
- not maintainable, they are snapshot of size only. They need to be redone if anything changes.

#### **Best suited for following count purposes:**

- portfolio baseline assessment
- software asset valuation
- project scoping
- estimating count durations
- benchmarking support ratios
- most cost effective for large, legacy applications, which do not need their counts maintained.

#### **Issues:**

- very efficient – **most applications can have their size estimated within half a day**
- very cost effective for large, legacy application baseline counts which have very little enhancement.

#### **Pre-requisites**

- accurate completion of a questionnaire (usually takes 2 hrs, but may take up to 2 days if the software is poorly documented or applications knowledge is limited)  
access to system experts (1 – 2 hour interview).